# SAFETY DATA SHEET

Version 6.5
Revision Date 03/19/2022
Print Date 10/08/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : 3,3′,5-Triiodo-L-thyronine ($T_3$) solution

Product Number : T-074
Brand : Cerilliant

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 2), H225
Acute toxicity, Oral (Category 3), H301
Acute toxicity, Inhalation (Category 3), H331
Acute toxicity, Dermal (Category 3), H311
Specific target organ toxicity - single exposure (Category 1), Eyes, Central nervous system, H370
Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Hazard statement(s)

| | |
|---|---|
| H225 | Highly flammable liquid and vapor. |
| H301 + H311 + H331 | Toxic if swallowed, in contact with skin or if inhaled. |
| H370 | Causes damage to organs (Eyes, Central nervous system). |
| H401 | Toxic to aquatic life. |

Precautionary statement(s)

| | |
|---|---|
| P210 | Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ ventilating/ lighting/ equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/ eye protection/ face protection. |
| P301 + P310 + P330 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304 + P340 + P311 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. |
| P307 + P311 | IF exposed: Call a POISON CENTER or doctor/ physician. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Molecular weight : 650.97 g/mol

| Component | | Classification | Concentration |
|---|---|---|---|
| **Methanol** | | | |
| CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | 67-56-1<br>200-659-6<br>603-001-00-X<br>01-2119433307-44-XXXX | Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370<br>Concentration limits:<br>>= 10 %: STOT SE 1, H370; 3 - < 10 %: STOT SE 2, H371; | >= 90 - <= 100 % |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| ammonia solution | | | |
|---|---|---|---|
| CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | 1336-21-6<br>215-647-6<br>007-001-01-2<br>01-2119488876-14-XXXX | Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 2; H314, H318, H335, H400, H411<br>Concentration limits:<br>>= 5 %: STOT SE 3, H335;<br>M-Factor - Aquatic Acute: 10 | >= 0.1 - < 1 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

**General advice**
First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

**If inhaled**
After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

**In case of skin contact**
In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

**In case of eye contact**
After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

**If swallowed**
After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media**
Foam Carbon dioxide (CO2) Dry powder



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Unsuitable extinguishing media**
For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**
Carbon oxides
Combustible.
Pay attention to flashback.
Vapors are heavier than air and may spread along floors.
Development of hazardous combustion gases or vapours possible in the event of fire.
Forms explosive mixtures with air at ambient temperatures.

**5.3 Advice for firefighters**
Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**
Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**
Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.
Evacuate the danger area, observe emergency procedures, consult an expert.
For personal protection see section 8.

**6.2 Environmental precautions**
Do not let product enter drains. Risk of explosion.

**6.3 Methods and materials for containment and cleaning up**
Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

**6.4 Reference to other sections**
For disposal see section 13.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

**Advice on safe handling**
Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

**Advice on protection against fire and explosion**
Keep away from open flames, hot surfaces and sources of ignition.Take precautionary measures against static discharge.

**Hygiene measures**
Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.
For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage conditions**



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

**Storage stability**
Recommended storage temperature
-20 °C

**Storage class**
Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Ingredients with workplace control parameters**

| Component | CAS-No. | Value | Control parameters | Basis |
|---|---|---|---|---|
| Methanol | 67-56-1 | TWA | 200 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Danger of cutaneous absorption | | |
| | | STEL | 250 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | Danger of cutaneous absorption | | |
| | | ST | 250 ppm<br>325 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | Potential for dermal absorption | | |
| | | TWA | 200 ppm<br>260 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | Potential for dermal absorption | | |
| | | TWA | 200 ppm<br>260 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | PEL | 200 ppm<br>260 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | Skin | | |
| | | C | 1,000 ppm | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | Skin | | |
| | | STEL | 250 ppm<br>325 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
| | | Skin | | |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | | | |
|---|---|---|---|---|
| | | TWA | 200 ppm<br>260 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | Skin notation | | |
| | | STEL | 250 ppm<br>325 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | Skin notation | | |
| ammonia solution | 1336-21-6 | TWA | 25 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | STEL | 35 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | TWA | 25 ppm<br>18 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | ST | 35 ppm<br>27 mg/m3 | USA. NIOSH Recommended Exposure Limits |

**Biological occupational exposure limits**

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|---|---|---|---|---|---|
| Methanol | 67-56-1 | Methanol | 15 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | End of shift (As soon as possible after exposure ceases) | | | |

## 8.2 Exposure controls

**Appropriate engineering controls**
Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

**Personal protective equipment**

**Eye/face protection**
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

**Skin protection**
required

**Body Protection**
Flame retardant antistatic protective clothing.

**Respiratory protection**
required when vapours/aerosols are generated.
Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Control of environmental exposure**
Do not let product enter drains. Risk of explosion.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| | | |
|---|---|---|
| a) | Appearance | Form: liquid |
| b) | Odor | No data available |
| c) | Odor Threshold | No data available |
| d) | pH | No data available |
| e) | Melting point/freezing point | No data available |
| f) | Initial boiling point and boiling range | 65 °C 149 °F at 1.013 hPa<br>65 °C (149 °F) at 1.013 hPa |
| g) | Flash point | 9.7 °C (49.5 °F) - closed cup |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | Upper explosion limit: 36 %(V)<br>Lower explosion limit: 6 %(V) |
| k) | Vapor pressure | No data available |
| l) | Vapor density | No data available |
| m) | Density | 0.791 g/cm3 at 20 °C (68 °F) |
| | Relative density | No data available |
| n) | Water solubility | No data available |
| o) | Partition coefficient: n-octanol/water | No data available |
| p) | Autoignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | Not classified as explosive. |
| t) | Oxidizing properties | none |

### 9.2 Other safety information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapors may form explosive mixture with air.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**10.3 Possibility of hazardous reactions**
No data available

**10.4 Conditions to avoid**
Warming.

**10.5 Incompatible materials**
Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

**10.6 Hazardous decomposition products**
In the event of fire: see section 5

## SECTION 11: Toxicological information

**11.1 Information on toxicological effects**

**Mixture**

**Acute toxicity**
Oral: No data available
Oral: No data available

Inhalation: No data available

Inhalation: No data available

Dermal: No data available

Dermal: No data available

**Skin corrosion/irritation**
No data available

**Serious eye damage/eye irritation**
No data available

**Respiratory or skin sensitization**
No data available

**Germ cell mutagenicity**
No data available

**Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**
No data available

**Specific target organ toxicity - single exposure**
Mixture causes damage to organs. - Eyes, Central nervous system

**Specific target organ toxicity - repeated exposure**
No data available



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Aspiration hazard**
No data available

## 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting, Gastrointestinal disturbance, Dizziness, Weakness, Confusion.
Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

**Components**

**Methanol**

**Acute toxicity**
Acute toxicity estimate Oral - 100.1 mg/kg
(Expert judgment)
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Symptoms: Nausea, Vomiting
Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor
(Expert judgment)
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Symptoms: Irritation symptoms in the respiratory tract.
Acute toxicity estimate Dermal - 300.1 mg/kg
(Expert judgment)
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Skin corrosion/irritation**
Skin - Rabbit
Result: No skin irritation
Remarks: (ECHA)
Drying-out effect resulting in rough and chapped skin.

**Serious eye damage/eye irritation**
Eyes - Rabbit
Result: No eye irritation
Remarks: (ECHA)

**Respiratory or skin sensitization**
Sensitisation test: - Guinea pig
Result: negative
(OECD Test Guideline 406)

**Germ cell mutagenicity**
Based on available data the classification criteria are not met.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Test Type: Ames test
Test system: Salmonella typhimurium
Result: negative
Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative
Method: OECD Test Guideline 474
Species: Mouse - male and female - Bone marrow
Result: negative

**Carcinogenicity**
Did not show carcinogenic effects in animal experiments.

**Reproductive toxicity**
Based on available data the classification criteria are not met.

**Specific target organ toxicity - single exposure**
Causes damage to organs. - Eyes, Central nervous system
Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Acute oral toxicity - Nausea, Vomiting
Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

**Specific target organ toxicity - repeated exposure**
No data available

**Aspiration hazard**
No data available

**ammonia solution**

**Acute toxicity**
Oral: No data available
Inhalation: Irritating to respiratory system.
Inhalation: Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Dermal: No data available

**Skin corrosion/irritation**
Causes skin burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Serious eye damage/eye irritation**
Causes serious eye damage. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

**Respiratory or skin sensitization**
No data available

**Germ cell mutagenicity**
No data available

**Carcinogenicity**
No data available

**Reproductive toxicity**
No data available

**Specific target organ toxicity - single exposure**
May cause respiratory irritation.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Specific target organ toxicity - repeated exposure**
No data available

**Aspiration hazard**
No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

**Mixture**
No data available

### 12.2 Persistence and degradability
No data available

### 12.3 Bioaccumulative potential
No data available

### 12.4 Mobility in soil
No data available

### 12.5 Results of PBT and vPvB assessment
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties
No data available

### 12.7 Other adverse effects
No data available

**Components**

**Methanol**

| | |
|---|---|
| Toxicity to fish | flow-through test LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h<br>(US-EPA) |
| Toxicity to daphnia and other aquatic invertebrates | semi-static test EC50 - Daphnia magna (Water flea) - 18,260 mg/l - 96 h<br>(OECD Test Guideline 202) |
| Toxicity to algae | static test ErC50 - Pseudokirchneriella subcapitata (green algae) - ca. 22,000.0 mg/l - 96 h<br>(OECD Test Guideline 201) |
| Toxicity to bacteria | static test IC50 - activated sludge - > 1,000 mg/l - 3 h<br>(OECD Test Guideline 209) |

**ammonia solution**

| | |
|---|---|
| Toxicity to fish | flow-through test LC50 - Pimephales promelas (fathead minnow) - 0.068 mg/l - 96 h<br>Remarks: (ECHA)<br>The value is given in analogy to the following substances: ammonium sulphate |
| Toxicity to daphnia and other aquatic | static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48 h |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | |
|---|---|
| invertebrates | Remarks: (ECHA)<br>anhydrous |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Product**
Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## SECTION 14: Transport information

**DOT (US)**
UN number: 1230 Class: 3 Packing group: II
Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ):
Poison Inhalation Hazard: No

**IMDG**
UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D
Proper shipping name: METHANOLSOLUTION

**IATA**
UN number: 1230 Class: 3 (6.1) Packing group: II
Proper shipping name: MethanolSOLUTION

## SECTION 15: Regulatory information

**SARA 302 Components**
This material does not contain any components with a section 302 EHS TPQ.

**SARA 313 Components**
The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|---|---|---|
| Methanol | 67-56-1 | 2007-07-01 |

**SARA 311/312 Hazards**
Fire Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**
No components are subject to the Massachusetts Right to Know Act.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

## SECTION 16: Other information

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.
The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5 Revision Date: 03/19/2022 Print Date: 10/08/2022