

# **SAFETY DATA SHEET**

Version 6.0 Revision Date 11/15/2018 Print Date 11/15/2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1 Product identifiers**

Product name	<sup>:</sup> Carfentanil Oxalate
Product Number	: C-200
Brand	: Cerilliant

## **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Synthesis of substances
-----------------	---	---

## **1.3** Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

## **1.4 Emergency telephone number**

Emergency Phone # : (314) 776-6555

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Danger

Pictogram



Signal word

Cerilliant - C-200

Page 1 of 10





Hazard statement(s) H225 H301 + H311 + H331 H370	Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to organs (Eyes).
Precautionary statement(s) P210	) Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 P240 P241 P242 P243 P260	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 P270 P271 P280 P301 + P310 + P330	Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353 P304 + P340 + P311	Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable
P307 + P311 P362 P370 + P378	for breathing. Call a POISON CENTER/doctor. IF exposed: Call a POISON CENTER or doctor/ physician. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233 P403 + P235 P405 P501	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Component		Classification	Concentration
Methanol			
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44- XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370	>= 90 - <= 100 %
4-Piperidinecarbox methyl ester	ylic acid, 4((1-oxopropy	yl)phenylamino)-1-(2-phen	ylethyl)-,
CAS-No.	61086-44-0	Acute Tox. 2; Acute Tox. 1; STOT SE 3; H300,	>= 0.1 - < 1 %

Cerilliant - C-200

Page 2 of 10





H330, H310, H336	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4:** First aid measures

#### 4.1 Description of first aid measures

## **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

**Unsuitable extinguishing media** Do NOT use water jet.

- **5.2 Special hazards arising from the substance or mixture** Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4 Further information** Use water spray to cool unopened containers.

Cerilliant - C-200

Page 3 of 10



## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up** Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks			is a Biological Exposure Index on)

Cerilliant - C-200

Page 4 of 10



Danger of	cutaneous absor	ption
STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
Headache Nausea Dizziness		
or Indices		
TWA	200 ppm 260 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for	or dermal absorp	
ST	250 ppm 325 mg/m3	USA. NIOSH Recommended Exposure Limits
Potential for	or dermal absorp	tion
TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value i	n mg/m3 is app	roximate.
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		• •
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

Hazardous components without workplace control parameters

## **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	ol 67-56-1 M		15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (	As soon as	possible after exp	oosure ceases)

## 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Cerilliant - C-200

Page 5 of 10





## **Personal protective equipment**

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	9.7 °C (49.5 °F) - closed cup - DIN 51755 Part 1
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available

Page 6 of 10



- m) Relative density No data available
- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Auto-ignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available
- 9.2 Other safety information No data available

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids
- **10.6 Hazardous decomposition products** Hazardous decomposition products formed under fire conditions. - Carbon oxides In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## **11.1** Information on toxicological effects

Acute toxicity No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Cerilliant - C-200

Page 7 of 10



## Germ cell mutagenicity

No data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

## **Additional Information**

RTECS: Not available

Methyl alcohol may be fatal or cause blindness if swallowed. Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed., Damage of the:, Liver, Kidney

## **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- **12.6 Other adverse effects** No data available

Cerilliant - C-200

Page 8 of 10



## SECTION 13: Disposal considerations

## **13.1 Waste treatment methods**

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

## **Contaminated packaging**

Dispose of as unused product.

## **SECTION 14: Transport information**

#### DOT (US)

UN number: 1230 Class: 3 Packing group: II Proper shipping name: MethanolSOLUTION

Reportable Quantity (RQ): Poison Inhalation Hazard: No

## IMDG

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D Proper shipping name: METHANOLSOLUTION

## ΙΑΤΑ

UN number: 1230 Class: 3 (6.1) Packing group: II Proper shipping name: MethanolSOLUTION

## **SECTION 15: Regulatory information**

## Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components	CAS-No.	Revision Date
Methanol	67-56-1	2007-07-01
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01
New Jersey Right To Know Components	CAS-No.	Revision Date
Methanol	67-56-1	2007-07-01

## **California Prop. 65 Components**

Cerilliant - C-200



This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **SECTION 16: Other information**

## **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.0

Revision Date: 11/15/2018

Print Date: 11/15/2018

Cerilliant - C-200

Page 10 of 10





# **SAFETY DATA SHEET**

Version 6.0 Revision Date 11/15/2018 Print Date 11/15/2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

<b>Bolovant</b> identified us	~	of the substance or mixture and uses advised against
Brand	:	Cerilliant
Product Number	:	C-201
Product name	:	Carfentanil-13C6 oxalate

# **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

## **1.4 Emergency telephone number**

Emergency Phone # : (314) 776-6555

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Danger

Pictogram



Signal word

Cerilliant - C-201

Page 1 of 10





Hazard statement(s) H225 H301 + H311 + H331 H370	Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to organs (Eyes).
Precautionary statement(s) P210	) Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 P240 P241 P242	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools.
P243 P260 P264	Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling.
P270 P271 P280 P301 + P310 + P330	Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353	Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.
P307 + P311 P362 P370 + P378	IF exposed: Call a POISON CENTER or doctor/ physician. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233 P403 + P235 P405 P501	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Cerilliant - C-201

Page 2 of 10



## In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

**Unsuitable extinguishing media** Do NOT use water jet.

- **5.2** Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

- **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
- 6.4 Reference to other sections

For disposal see section 13.

Cerilliant - C-201

Page 3 of 10



## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection


## 8.1 Control parameters

Components with workplace control parameters						
Component	CAS-No.	Value	Control	Basis		
			parameters			
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit		
				Values (TLV)		
	Remarks	Headache				
		Nausea				
		Dizziness				
		Eye damag				
				is a Biological Exposure Index		
			see BEI® sectio			
		-	utaneous absor			
		STEL	250 ppm	USA. ACGIH Threshold Limit		
				Values (TLV)		
		Headache Nausea				
		Dizziness	-			
		Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section)				
		Danger of cutaneous absorptionTWA200 ppmUSA. NIOSH Recommended				
		IWA	200 ppm			
		Potontial fo	260 mg/m3	Exposure Limits		
		Potential for dermal absorption				
		ST	250 ppm	USA. NIOSH Recommended		
		Detential f	325 mg/m3	Exposure Limits		
L		Potential for dermal absorption				

...... varkalasa santral .

Cerilliant - C-201

Page 4 of 10





TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
The value in mg/m3 is approximate.			
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin			
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin			
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin			

Hazardous components without workplace control parameters

#### **Biological occupational exposure limits**

Component	CAS-No.	Parameters	Value	Biological	Basis
				specimen	
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH -
					Biological
					Exposure Indices
					(BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Cerilliant - C-201

Page 5 of 10



## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid				
b)	Odour	No data available				
c)	Odour Threshold	No data available				
d)	рН	No data available				
e)	Melting point/freezing point	No data available				
f)	Initial boiling point and boiling range	No data available				
g)	Flash point	9.7 °C (49.5 °F) - closed cup - DIN 51755 Part 1				
h)	Evaporation rate	No data available				
i)	Flammability (solid, gas)	No data available				
j)	Upper/lower flammability or explosive limits	No data available				
k)	Vapour pressure	No data available				
I)	Vapour density	No data available				
m)	Relative density	No data available				
n)	Water solubility	No data available				
o)	Partition coefficient: n-octanol/water	No data available				
p)	Auto-ignition temperature	No data available				
q)	Decomposition temperature	No data available				
r)	Viscosity	No data available				
s)	Explosive properties	No data available				
t)	Oxidizing properties	No data available				
Oth	Other safety information					

## **9.2 Other safety information** No data available

Cerilliant - C-201

Page 6 of 10



## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids
- **10.6 Hazardous decomposition products** Hazardous decomposition products formed under fire conditions. - Carbon oxides In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity No data available

**Skin corrosion/irritation** No data available

Serious eye damage/eye irritation No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity No data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available No data available

Cerilliant - C-201

Page 7 of 10



#### Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: Not available

Methyl alcohol may be fatal or cause blindness if swallowed. Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed., Damage of the:, Liver, Kidney

## **SECTION 12: Ecological information**

## **12.1 Toxicity**

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
- 12.6 Other adverse effects No data available

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

## Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

## **Contaminated packaging**

Dispose of as unused product.

## **SECTION 14:** Transport information

## DOT (US)

Cerilliant - C-201

Page 8 of 10



-	N number: 1230 roper shipping nam	Class: 3 ne: MethanolSOLUTION	Packing group N	o: II				
	Reportable Quantity (RQ): Poison Inhalation Hazard: No							
U	<b>MDG</b> N number: 1230 roper shipping nam	Class: 3 (6.1) ne: METHANOLSOLUTI	Packing grou ON	o: II	EMS-No: F-E, S-D			
U	<b>ATA</b> N number: 1230 roper shipping nam	Class: 3 (6.1) ne: MethanolSOLUTION	Packing group N	o: II				
SECTIO	SECTION 15: Regulatory information							
	Massachusetts Right To Know Components No components are subject to the Massachusetts Right to Know Act.							
	<b>ennsylvania Righ</b> 1ethanol	t To Know Compone	ents	CAS-No. 67-56-1	Revision Date 2007-07-01			
Ν	fethanol			CAS-No. 67-56-1	Revision Date 2007-07-01			
	<b>lew Jersey Right</b> 1ethanol	To Know Componen	ts	CAS-No. 67-56-1	Revision Date 2007-07-01			

## **California Prop. 65 Components**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **SECTION 16: Other information**

#### Further information

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Cerilliant - C-201

Page 9 of 10



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.0

Revision Date: 11/15/2018

Print Date: 11/15/2018

Cerilliant - C-201

Page 10 of 10

