

# SAFETY DATA SHEET

Version 5.0 Revision Date 10/30/2018 Print Date 10/30/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : 3-Methyl fentanyl-13C6 HCI

Product Number : M-219
Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

Specific target organ toxicity - single exposure (Category 1), Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

**⋄**�



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs (Eyes).

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

Cerilliant - M-219 Page 1 of 9

| P243               | Take precautionary measures against static discharge.                    |
|--------------------|--|
| P260               | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.                    |
| P264               | Wash skin thoroughly after handling.                                     |
| P270               | Do not eat, drink or smoke when using this product.                      |
| P271               | Use only outdoors or in a well-ventilated area.                          |
| P280               | Wear protective gloves/ eye protection/ face protection.                 |
| P301 + P310 + P330 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse             |
|                    | mouth.   |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing.    |
|                    | Rinse skin with water/shower.  |
| P304 + P340 + P311 | IF INHALED: Remove person to fresh air and keep comfortable for          |
|                    | breathing. Call a POISON CENTER/doctor.                                  |
| P307 + P311        | IF exposed: Call a POISON CENTER or doctor/ physician.                   |
| P362               | Take off contaminated clothing and wash before reuse.                    |
| P370 + P378        | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to |
|                    | extinguish.  |
| P403 + P233        | Store in a well-ventilated place. Keep container tightly closed.         |
| P403 + P235        | Store in a well-ventilated place. Keep cool.                             |
| P405               | Store locked up.   |
| P501               | Dispose of contents/ container to an approved waste disposal plant.      |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Molecular weight : 32.04 g/mol

# **Hazardous components**

| Component                  |                       | Classification              | Concentration |  |  |  |
|----------------------------|-----------------------|-----------------------------|---------------|--|--|--|
| Methanol                   |                       |                             |               |  |  |  |
| CAS-No.                    | 67-56-1               | Flam. Liq. 2; Acute Tox. 3; | 90 - 100 %    |  |  |  |
| EC-No.                     | 200-659-6             | STOT SE 1; H225, H301 +     |               |  |  |  |
| Index-No.                  | 603-001-00-X          | H311 + H331, H370           |               |  |  |  |
| Registration number        | 01-2119433307-44-XXXX |                             |               |  |  |  |
| 3-Methyl fentanyl-13C6 HCl |                       |                             |               |  |  |  |
|                            |                       | Acute Tox. 1; H300 + H310   | 0.1 - 1 %     |  |  |  |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Cerilliant - M-219 Page 2 of 9

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

## Suitable extinguishing media

Dry powder Dry sand

# Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Cerilliant - M-219 Page 3 of 9

| Component | CAS-No. | Value         | Control parameters                                    | Basis   |
|-----------|---------|---------------|---|---|
| Methanol  | 67-56-1 | TWA           | 200 ppm   | USA. ACGIH Threshold Limit Values (TLV)   |
|           | Remarks | (see BEI® see | for which there is a<br>ection)<br>utaneous absorptio |   |
|           |         | STEL          | 250 ppm   | USA. ACGIH Threshold Limit Values (TLV)   |
|           |         | (see BEI® se  | for which there is a                                  |   |
|           |         | TWA           | 200 ppm<br>260 mg/m3                                  | USA. NIOSH Recommended Exposure Limits  |
|           |         | Potential for | dermal absorption                                     |   |
|           |         | ST            | 250 ppm<br>325 mg/m3                                  | USA. NIOSH Recommended Exposure Limits  |
|           |         | Potential for | dermal absorption                                     |   |
|           |         | TWA           | 200 ppm<br>260 mg/m3                                  | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|           |         | The value in  | mg/m3 is approxir                                     | nate.   |
|           |         | С             | 1,000 ppm   | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|           |         | Skin          |   |   |
|           |         | PEL           | 200 ppm<br>260 mg/m3                                  | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|           |         | Skin          | 1   |   |
|           |         | STEL          | 250 ppm<br>325 mg/m3                                  | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|           |         | Skin          |   |   |

Hazardous components without workplace control parameters

**Biological occupational exposure limits** 

| Component | CAS-No. | Parameters   | Value   | Biological specimen | Basis   |
|-----------|---------|--|---------|---------------------|---|
|           | -       | Methanol   | 15 mg/l | Urine               | ACGIH - Biological<br>Exposure Indices<br>(BEI) |
|           | Remarks | End of shift (As soon as possible after exposure ceases) |         |                     |   |

# 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Cerilliant - M-219 Page 4 of 9

## Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour characteristic

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing Melting

point

Melting point: -98.0 °C (-144.4 °F)

f) Initial boiling point and

boiling range

64.0 - 65.0 °C (147.2 - 149.0 °F) at 1,013 hPa (760 mmHg)

g) Flash point 9.7 °C (49.5 °F) - closed cup - DIN 51755 Part 1

h) Evaporation rate 6.3 - Diethylether1.9 - n-butyl acetate

i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 36.5 %(V) flammability or Lower explosion limit: 5.5 %(V)

explosive limits

k) Vapour pressure 128 hPa (96 mmHg) at 20.0 °C (68.0 °F)

Vapour density 1.11

m) Relative density 0.79 g/cm3 at 20 °C (68 °F)

n) Water solubility soluble

o) Partition coefficient: n-

octanol/water

log Pow: -0.77 at 25 °C (77 °F) - (Lit.), Bioaccumulation is not expected.

p) Auto-ignition 455.0 °C (851.0 °F) at 1,013 hPa (760 mmHg) - DIN 51794

temperature

Decomposition
 Distillable in an undecomposed state at normal pressure.

temperature

Cerilliant - M-219 Page 5 of 9

0.54 - 0.59 mm2/s at 20 °C (68 °F) r) Viscosity

**Explosive properties** No data available s) Oxidizing properties No data available

#### 9.2 Other safety information

Minimum ignition energy 0.14 mJ Conductivity  $< 1 \mu S/cm$ 

Relative vapour density 1.11

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Risk of explosion with: Oxidizing agents, Halogens, sodium hypochlorite, sulphuric acid, nitrogen oxides, chlorates, chromium(VI) oxide, chromosulfuric acid, halogen oxides, hydrides, salts of oxyhalogenic acids, perchlorates, perchloric acid, permanganic acid, hydrogen peroxide, zinc diethyl, nonmetallic oxides, powdered magnesium, Nitric acidExothermic reaction with:Risk of ignition or formation of inflammable gases or vapours with:Fluorine, Oxides of phosphorus, Raney-nickelGenerates dangerous gases or fumes in contact with: Alkali metals, Alkaline earth metals Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Warming.

Heat, flames and sparks.

#### Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# Acute toxicity

No data available

# Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a NTP:

known or anticipated carcinogen by NTP.

Cerilliant - M-219 Page 6 of 9 OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

# Reproductive toxicity

No data available No data available

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

# **Additional Information**

RTECS: Not available

Methyl alcohol may be fatal or cause blindness if swallowed.

Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures.

Symptoms may be delayed., Damage of the:, Liver, Kidney

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: Methanol, solution

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Cerilliant - M-219 Page 7 of 9

Proper shipping name: METHANOL, SOLUTION

IATA

UN number: 1230 Class: 3 (6.1) Packing group: II

Proper shipping name: Methanol, solution

#### 15. REGULATORY INFORMATION

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

 CAS-No.
 Revision Date

 Methanol
 67-56-1
 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

 Methanol
 CAS-No.
 Revision Date

 4007-07-01
 87-56-1
 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Methanol 67-56-1 2007-07-01

California Prop. 65 Components

, which is/are known to the State of California to cause birth CAS-No. Revision Date defects or other reproductive harm. For more information go to 67-56-1 2012-03-16

www.P65Warnings.ca.gov.

Methanol

# **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour. H300 + H310 Fatal if swallowed or in contact with skin.

H301 Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled.

H331

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

STOT SE Specific target organ toxicity - single exposure

### Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Cerilliant - M-219 Page 8 of 9

# **Preparation Information**

Sigma-Aldrich Corporation
Product Safety – Americas Region
1-800-521-8956

Version: 5.0 Revision Date: 10/30/2018 Print Date: 10/30/2018

Cerilliant - M-219 Page 9 of 9



# SAFETY DATA SHEET

Version 5.0 Revision Date 10/30/2018 Print Date 10/30/2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : (±)-cis-3-Methylfentanyl HCI

Product Number : M-222 Brand : Cerilliant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

Specific target organ toxicity - single exposure (Category 1), Eyes, H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs (Eyes).

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

Cerilliant - M-222 Page 1 of 9

| P243               | Take precautionary measures against static discharge.   |
|--------------------|---|
| P260               | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.   |
| P264               | Wash skin thoroughly after handling.  |
| P270               | Do not eat, drink or smoke when using this product.   |
| P271               | Use only outdoors or in a well-ventilated area.   |
| P280               | Wear protective gloves/ eye protection/ face protection.  |
| P301 + P310 + P330 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.                                     |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.     |
| P304 + P340 + P311 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor. |
| P307 + P311        | IF exposed: Call a POISON CENTER or doctor/ physician.  |
| P362               | Take off contaminated clothing and wash before reuse.   |
| P370 + P378        | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.                    |
| P403 + P233        | Store in a well-ventilated place. Keep container tightly closed.  |
| P403 + P235        | Store in a well-ventilated place. Keep cool.  |
| P405               | Store locked up.  |
| P501               | Dispose of contents/ container to an approved waste disposal plant.                                     |

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

Molecular weight : 32.04 g/mol

# **Hazardous components**

| Component                    |                       | Classification                | Concentration |  |  |  |
|------------------------------|-----------------------|-------------------------------|---------------|--|--|--|
| Methanol                     |                       |                               |               |  |  |  |
| CAS-No.                      | 67-56-1               | Flam. Liq. 2; Acute Tox. 3;   | 90 - 100 %    |  |  |  |
| EC-No.                       | 200-659-6             | STOT SE 1; H225, H301 +       |               |  |  |  |
| Index-No.                    | 603-001-00-X          | H311 + H331, H370             |               |  |  |  |
| Registration number          | 01-2119433307-44-XXXX |                               |               |  |  |  |
| (±)-cis-3-Methylfentanyl HCl |                       |                               |               |  |  |  |
| CAS-No.                      | 78995-18-3            | Acute Tox. 3; Aquatic Chronic | 0.1 - 1 %     |  |  |  |
|                              |                       | 4; H301, H413                 |               |  |  |  |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Cerilliant - M-222 Page 2 of 9

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Dry powder Dry sand

# Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature -20 °C

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Cerilliant - M-222 Page 3 of 9

| Component | CAS-No. | Value         | Control parameters                                    | Basis   |
|-----------|---------|---------------|---|---|
| Methanol  | 67-56-1 | TWA           | 200 ppm   | USA. ACGIH Threshold Limit Values (TLV)   |
|           | Remarks | (see BEI® see | for which there is a<br>ection)<br>utaneous absorptio |   |
|           |         | STEL          | 250 ppm   | USA. ACGIH Threshold Limit Values (TLV)   |
|           |         | (see BEI® se  | for which there is a                                  |   |
|           |         | TWA           | 200 ppm<br>260 mg/m3                                  | USA. NIOSH Recommended Exposure Limits  |
|           |         | Potential for | dermal absorption                                     |   |
|           |         | ST            | 250 ppm<br>325 mg/m3                                  | USA. NIOSH Recommended Exposure Limits  |
|           |         | Potential for | dermal absorption                                     |   |
|           |         | TWA           | 200 ppm<br>260 mg/m3                                  | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants        |
|           |         | The value in  | mg/m3 is approxir                                     | nate.   |
|           |         | С             | 1,000 ppm   | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|           |         | Skin          |   |   |
|           |         | PEL           | 200 ppm<br>260 mg/m3                                  | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|           |         | Skin          | 1   |   |
|           |         | STEL          | 250 ppm<br>325 mg/m3                                  | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |
|           |         | Skin          |   |   |

Hazardous components without workplace control parameters

**Biological occupational exposure limits** 

| Component | CAS-No. | Parameters   | Value   | Biological specimen | Basis   |
|-----------|---------|--|---------|---------------------|---|
|           | -       | Methanol   | 15 mg/l | Urine               | ACGIH - Biological<br>Exposure Indices<br>(BEI) |
|           | Remarks | End of shift (As soon as possible after exposure ceases) |         |                     |   |

# 8.2 Exposure controls

# **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Cerilliant - M-222 Page 4 of 9

## Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour characteristic

c) Odour Threshold No data available

d) pH No data available

e) Melting point/freezing

point

Melting point: -98.0 °C (-144.4 °F)

f) Initial boiling point and

boiling range

64.0 - 65.0 °C (147.2 - 149.0 °F) at 1,013 hPa (760 mmHg)

g) Flash point 9.7 °C (49.5 °F) - closed cup - DIN 51755 Part 1

h) Evaporation rate 6.3 - Diethylether1.9 - n-butyl acetate

i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 36.5 %(V) flammability or Lower explosion limit: 5.5 %(V)

explosive limits

k) Vapour pressure 128 hPa (96 mmHg) at 20.0 °C (68.0 °F)

Vapour density 1.11

m) Relative density 0.79 g/cm3 at 20 °C (68 °F)

n) Water solubility soluble

o) Partition coefficient: n-

octanol/water

log Pow: -0.77 at 25 °C (77 °F) - (Lit.), Bioaccumulation is not expected.

p) Auto-ignition 455.0 °C (851.0 °F) at 1,013 hPa (760 mmHg) - DIN 51794

temperature

Decomposition
 Distillable in an undecomposed state at normal pressure.

temperature

Cerilliant - M-222 Page 5 of 9

r) Viscosity 0.54 - 0.59 mm2/s at 20 °C (68 °F) -

s) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

Minimum ignition energy 0.14 mJConductivity  $< 1 \mu\text{S/cm}$ 

Relative vapour density 1.11

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

Risk of explosion with:Oxidizing agents, Halogens, sodium hypochlorite, sulphuric acid, nitrogen oxides, chlorates, chromium(VI) oxide, chromosulfuric acid, halogen oxides, hydrides, salts of oxyhalogenic acids, perchlorates, perchloric acid, permanganic acid, hydrogen peroxide, zinc diethyl, nonmetallic oxides, powdered magnesium, Nitric acidExothermic reaction with:Risk of ignition or formation of inflammable gases or vapours with:Fluorine, Oxides of phosphorus, Raney-nickelGenerates dangerous gases or fumes in contact with:Alkali metals, Alkaline earth metalsVapours may form explosive mixture with air.

# 10.4 Conditions to avoid

Warming.

Heat, flames and sparks.

#### 10.5 Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# **Acute toxicity**

No data available

# Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

# Reproductive toxicity

No data available No data available

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

# **Additional Information**

RTECS: Not available

Methyl alcohol may be fatal or cause blindness if swallowed.

Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures.

Symptoms may be delayed., Damage of the:, Liver, Kidney

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1230 Class: 3 Packing group: II

Proper shipping name: Methanol, solution

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1230 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Cerilliant - M-222 Page 7 of 9

Proper shipping name: METHANOL, SOLUTION

IATA

UN number: 1230 Class: 3 (6.1) Packing group: II

Proper shipping name: Methanol, solution

#### 15. REGULATORY INFORMATION

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

 Methanol
 CAS-No.
 Revision Date

 47-56-1
 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

 Methanol
 CAS-No.
 Revision Date

 47-56-1
 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Methanol 67-56-1 2007-07-01

California Prop. 65 Components

, which is/are known to the State of California to cause birth CAS-No. Revision Date defects or other reproductive harm. For more information go to 67-56-1 2012-03-16

www.P65Warnings.ca.gov.

Methanol

# **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Chronic Chronic aquatic toxicity Flam. Lig. Flammable liquids

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled.

H331

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs (/\$/\*\_ORGAN\_SINGLE/\$/).
H413 May cause long lasting harmful effects to aquatic life.
STOT SE Specific target organ toxicity - single exposure

# Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Cerilliant - M-222 Page 8 of 9

# **Preparation Information**

Sigma-Aldrich Corporation
Product Safety – Americas Region
1-800-521-8956

Version: 5.0 Revision Date: 10/30/2018 Print Date: 10/30/2018

Cerilliant - M-222 Page 9 of 9