

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

1.2

Relevant identified us	es	of the substance or mixture and uses advised against
Index-No.	:	603-001-00-X
Brand	:	Cerilliant
Product Number	:	T-010
Product name	:	(±)-11-nor-9-Carboxy-delta-9-THC

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES	
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052	
Emorgonov tolonhono			

1.4 Emergency telephone

Emergency Phone #	: 800-424-9300 CHEMTREC (USA) +1-703-
	527-3887 CHEMTREC (International) 24
	Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Cerilliant - T-010

Page 1 of 12



Hazard statement(s)				
H225	Highly flammable liquid and vapor.			
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.			
H370	Causes damage to organs.			
Precautionary statement(s)				
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No			
	smoking.			
P233	Keep container tightly closed.			
P240	Ground/bond container and receiving equipment.			
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.			
P242	Use only non-sparking tools.			
P243	Take precautionary measures against static discharge.			
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.			
P264	Wash skin thoroughly after handling.			
P270	Do not eat, drink or smoke when using this product.			
P271	Use only outdoors or in a well-ventilated area.			
P280	Wear protective gloves/ protective clothing/ eye protection/ face			
	protection.			
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.			
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all			
5204 × 5240	contaminated clothing. Rinse skin with water/ shower.			
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a			
D207 + D211	position comfortable for breathing.			
P307 + P311 P322	IF exposed: Call a POISON CENTER or doctor/ physician.			
P322	Specific measures (see supplemental first aid instructions on this label).			
P330	Rinse mouth.			
P361	Remove/ Take off immediately all contaminated clothing.			
P363	Wash contaminated clothing before reuse.			
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant			
13/0113/0	foam for extinction.			
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.			
P403 + P235	Store in a well-ventilated place. Keep cool.			
P405	Store locked up.			
P501	Dispose of contents/ container to an approved waste disposal			
	plant.			

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
Methanol			
CAS-No.	67-56-1	Flam. Liq. 2; Acute Tox. 3;	>= 90 - <=
EC-No.	200-659-6	STOT SE 1; H225, H301,	100 %
Index-No.	603-001-00-X	H331, H311, H370	
Registration	01-2119433307-44-	Concentration limits:	
number	XXXX	>= 10 %: STOT SE 1,	
		H370; 3 - < 10 %: STOT	
		SE 2, H371;	

Cerilliant - T-010

Page 2 of 12



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture Carbon oxides

Pay attention to flashback. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Cerilliant - T-010

Page 3 of 12



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- 6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stability

Recommended storage temperature -20 °C

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Cerilliant - T-010

Page 4 of 12



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters							
Component	CAS-No.	Value	Control	Basis			
			parameters				
Methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit			
				Values (TLV)			
	Remarks	Danger of cutaneous absorption					
		STEL	250 ppm	USA. ACGIH Threshold Limit			
				Values (TLV)			
		Danger of	cutaneous abso	rption			
		ST	250 ppm	USA. NIOSH Recommended			
		-	325 mg/m3	Exposure Limits			
		Potential for dermal absorption					
		TWA	200 ppm	USA. NIOSH Recommended			
			260 mg/m3	Exposure Limits			
		Potential f	or dermal absor				
		TWA	200 ppm	USA. Occupational Exposure			
		1007	260 mg/m3	Limits (OSHA) - Table Z-1			
			200 mg/m5	Limits for Air Contaminants			
		PEL	200 ppm	California permissible exposure			
			260 mg/m3	limits for chemical			
			200 mg/m5	contaminants (Title 8, Article			
				107)			
		Skin		107)			
		C	1,000 ppm	California permissible exposure			
		C	1,000 ppm	limits for chemical			
				contaminants (Title 8, Article			
				107)			
		Skin		107)			
		STEL	2E0 nnm	California normissible ovnosuro			
		SILL	250 ppm 325 mg/m3	California permissible exposure limits for chemical			
			525 mg/m5				
				contaminants (Title 8, Article 107)			
		Skin		107)			
			200 nn~	USA. Table Z-1-A Limits for Air			
		TWA	200 ppm				
			260 mg/m3	Contaminants (1989 vacated			
		Clin notet	l	values)			
		Skin notat					
		STEL	250 ppm	USA. Table Z-1-A Limits for Air			
			325 mg/m3	Contaminants (1989 vacated			
				values)			
		Skin notat	ion				
Biological occu	inational eve	osuro limite	-				

Ingredients with workplace control parameters

Biological occupational exposure limits
Component CAS-No. Parameters Value

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Methanol	67-56-1	Methanol	15 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks End of shift (As soon as possib				osure ceases)

Cerilliant - T-010

Page 5 of 12



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid		
b)	Odor	No data available		
c)	Odor Threshold	No data available		
d)	рН	No data available		
e)	Melting point/freezing point	No data available		
f)	Initial boiling point and boiling range	No data available		
g)	Flash point	9.7 °C (49.5 °F)		
h)	Evaporation rate	No data available		
i)	Flammability (solid, gas)	No data available		
j)	Upper/lower flammability or explosive limits	No data available		
k)	Vapor pressure	No data available		
I)	Vapor density	No data available		
m)	Density	No data available		
	Relative density	No data available		

Cerilliant - T-010

Page 6 of 12



- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none
- 9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Warming.
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization No data available

Cerilliant - T-010

Page 7 of 12



Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Mixture causes damage to organs.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Components

Methanol

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.

Cerilliant - T-010

Page 8 of 12



Acute toxicity estimate Dermal - 300.1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (ECHA) Remarks: Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation Remarks: (ECHA)

Respiratory or skin sensitization

Sensitisation test: - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Based on available data the classification criteria are not met. Test Type: Ames test Test system: Salmonella typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative Method: OECD Test Guideline 474 Species: Mouse - male and female - Bone marrow Result: negative

Carcinogenicity

Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

Causes damage to organs. - Eyes, Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute oral toxicity - Nausea, Vomiting Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

Cerilliant - T-010

Page 9 of 12



12.2 Persistence and degradability No data available								
12.3 Bioaccumulative potentia No data available	L2.3 Bioaccumulative potential No data available							
12.4 Mobility in soil No data available	-							
12.5 Results of PBT and vPvB PBT/vPvB assessment not a conducted	assessment available as chemical safety assessment not required/not							
12.6 Endocrine disrupting pro No data available	perties							
12.7 Other adverse effects No data available								
Components								
Methanol								
Toxicity to fish	flow-through test LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h (US-EPA)							
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 18,260 mg/l - 96 h (OECD Test Guideline 202)							
Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (gr algae) - ca. 22,000.0 mg/l - 96 h (OECD Test Guideline 201)								
Toxicity to bacteria static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)								
Toxicity to NOEC - Oryzias latipes (Orange-red killifish) - 7,900 mg/l - 2 fish(Chronic toxicity) h Remarks: (External MSDS)								

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1230 Class: 3 Packing group: II Proper shipping name: MethanolSOLUTION

Cerilliant - T-010

Page 10 of 12



Reportable Quantity (RQ): Poison Inhalation Hazard: No								
IMDG UN number: 1230 Class: 3 (6.1) Packing grou Proper shipping name: METHANOLSOLUTION	ıp: II	EMS-No: F-E, S-D						
IATA UN number: 1230 Class: 3 (6.1) Packing grou Proper shipping name: MethanolSOLUTION	UN number: 1230 Class: 3 (6.1) Packing group: II							
SECTION 15: Regulatory information								
SARA 302 Components No chemicals in this material are subject to the reportin Section 302.	ng requireme	nts of SARA Title III,						
SARA 313 Components The following components are subject to reporting leve Section 313:	ls establishec	l by SARA Title III,						
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01						
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard, Chronic Health Haza	rd							
Massachusetts Right To Know Components								
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01						
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01						
Pennsylvania Right To Know Components Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01						
Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01						
New Jersey Right To Know Components Methanol	CAS-No. 67-56-1	Revision Date 2007-07-01						
California Prop. 65 Components WARNING: This product contains a chemical known in the State of California to cause birth defects or other	CAS-No. 67-56-1	Revision Date 2012-03-16						
Cerilliant - T-010		Page 11 of 12						



, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.Methanol CAS-No. 67-56-1 Revision Date 2012-03-16

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3

Revision Date: 02/07/2023

Print Date: 07/29/2023

Cerilliant - T-010

Page 12 of 12

